

Hemophilia Enrollment Form



Fax Referral To: 1-877-232-5455

Address: 500 Ala Moana Blvd., Ste 1-A Honolulu, HI 96813

Phone: 1-800-896-1464

Six Simple Steps to Submitting a Referral

1 PATIENT INFORMATION *(Complete or include demographic sheet)*

Patient Name: _____ DOB: _____

Address: _____ City, State, ZIP Code: _____

Gender: Male Female

Preferred Contact Methods: Phone (to primary # provided below) Text (to cell # provided below) Email (to email provided below)

Note: Carrier charges may apply. If unable to contact via text or email, Specialty Pharmacy will attempt to contact by phone.

Primary Phone: _____ Alternate Phone: _____

If **Minor**, Parent/Caregiver/Guardian Name (Last, First): _____

Relationship to minor: _____

Email: _____ Last Four of SSN: _____ Primary Language: _____

2 PRESCRIBER INFORMATION

Prescriber's Name: _____ State License #: _____

NPI #: _____ DEA #: _____ Group or Hospital: _____

Address: _____ City, State, ZIP Code: _____

Phone: _____ Fax: _____ Contact Person: _____ Contact's Phone: _____

3 INSURANCE INFORMATION | Please fax copy of prescription and insurance cards with this form, if available (front and back)

4 DIAGNOSIS AND CLINICAL INFORMATION

Needs by Date: _____ Ship to: Patient Office Other: _____

Diagnosis (ICD-10):

D66 Hereditary factor VIII deficiency

D67 Hereditary factor IX deficiency

D68.0 Von Willebrand's disease

D68.311 Acquired hemophilia

D68.318 Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors

D68.8 Other specified coagulation defects

D68.9 Coagulation defect, unspecified

D68.2 Hereditary deficiency of other clotting factors

Other Code: _____ Description: _____

Patient Clinical Information:

Allergies: _____ Height: _____ in/cm Weight: _____ lb/kg

Nursing:

Specialty pharmacy to coordinate injection or infusion training/ home health infusion nurse visit necessary Yes No

Site of Care: MD office Infusion Clinic Outpatient Health Home Health

Injection/Infusion training not necessary. Date training occurred: _____

Reason: MD office training patient Pt already independent Referred by MD to alternate trainer

Hemophilia Enrollment Form

Please complete Patient and Prescriber information

Patient Name: _____
 Prescriber Name: _____

Patient DOB: _____
 Prescriber Phone: _____

5 PRESCRIPTION INFORMATION

| MEDICATION | STRENGTH | DOSE & DIRECTIONS | QUANTITY/REFILLS |
|--|--|--|---|
| <input type="checkbox"/> Advate <input type="checkbox"/> Feiba NF <input type="checkbox"/> Obizur <input type="checkbox"/> Adynovate <input type="checkbox"/> Hemofil-M <input type="checkbox"/> Profilnine <input type="checkbox"/> Afstyla <input type="checkbox"/> Humate-P <input type="checkbox"/> Rebinyn <input type="checkbox"/> Alphanate <input type="checkbox"/> Idelvion <input type="checkbox"/> Recombinate <input type="checkbox"/> AlphaNine <input type="checkbox"/> Ixinity <input type="checkbox"/> Rixubis <input type="checkbox"/> Alprolix <input type="checkbox"/> Jivi <input type="checkbox"/> Thrombate III <input type="checkbox"/> BeneFIX <input type="checkbox"/> Koate-DVI <input type="checkbox"/> Tretten <input type="checkbox"/> Coagadex <input type="checkbox"/> Kogenate <input type="checkbox"/> Vonvendi <input type="checkbox"/> Corifact <input type="checkbox"/> Kovaltry <input type="checkbox"/> Wilate <input type="checkbox"/> Ceprotin <input type="checkbox"/> Novoeight <input type="checkbox"/> Xyntha <input type="checkbox"/> Elocbate <input type="checkbox"/> Nuwiq | _____ IU/kg | <input type="checkbox"/> Prophylaxis: _____ <input type="checkbox"/> Breakthrough Bleed: Infuse _____ units (+/- 10%) slow IV push every _____ hours / days (circle one) for a total of _____ doses as needed for bleeding episodes. Contact your physician's office if bleeding does not resolve. Minor: <input type="checkbox"/> _____ IU q _____ hr PRN <input type="checkbox"/> Other: _____ Major: <input type="checkbox"/> _____ IU q _____ hr PRN <input type="checkbox"/> Other: _____ <input type="checkbox"/> Immune Tolerance: _____ | Quantity: <input type="checkbox"/> 1 mo <input type="checkbox"/> 3 mo <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Amicar | <input type="checkbox"/> Tablet 500 mg <input type="checkbox"/> Tablet 1,000 mg <input type="checkbox"/> Syrup 25% | <input type="checkbox"/> Other: _____ | Quantity: <input type="checkbox"/> 1 mo <input type="checkbox"/> 3 mo <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Esperoct | _____ IU/kg | <input type="checkbox"/> Prophylaxis: _____ IU/kg every _____ days or _____ times per week <input type="checkbox"/> Breakthrough Bleed: _____ IU/kg as needed for bleeding episodes. Contact your physician's office if bleeding does not resolve. <input type="checkbox"/> Other: _____ | Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Hemlibra | <input type="checkbox"/> 30 mg/mL <input type="checkbox"/> 60 mg/0.4 mL <input type="checkbox"/> 105 mg/0.7 mL <input type="checkbox"/> 150 mg/1 mL | <input type="checkbox"/> Initial dose: 3 mg/kg subcutaneously once weekly for 4 weeks <input type="checkbox"/> Maintenance dose: <input type="checkbox"/> 1.5 mg/kg subcutaneously every week <input type="checkbox"/> 3 mg/kg subcutaneously every 2 weeks <input type="checkbox"/> 6 mg/kg subcutaneously every 4 weeks Weight: _____ kg | Quantity: <input type="checkbox"/> 1 mo <input type="checkbox"/> 3 mo <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> NovoSeven RT | _____ mcg/kg | Infuse _____ mcg/kg slow IV push every _____ hours, and/or _____ | Quantity: <input type="checkbox"/> 1 mo <input type="checkbox"/> 3 mo <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> SevenFact | <input type="checkbox"/> 1 mg <input type="checkbox"/> 5 mg | For Mild/Moderate bleeds : <input type="checkbox"/> 75 mcg/kg repeat q 3 hours until hemostasis achieved or <input type="checkbox"/> Initial dose of 225 mcg/kg. May infuse 75 mcg/kg q 3 hours prn if hemostasis not achieved within 9 hours. For Severe bleeds : <input type="checkbox"/> 225 mcg/kg, followed if necessary 6 hours later with 75 mcg/kg every 2 hours. <input type="checkbox"/> Other: _____ Round to nearest whole vial. Weight: _____ kg | Quantity: <input type="checkbox"/> 1 mo <input type="checkbox"/> 3 mo <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |

Patient is interested in patient support programs **STAMP SIGNATURE NOT ALLOWED** Ancillary supplies and kits provided as needed for administration

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

| | |
|---|--|
| "Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute Prescriber's Signature: _____ Date: _____ | May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature: _____ Date: _____ |
|---|--|

CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" _____ **ATTN: New York and Iowa providers,** please submit electronic prescription

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

Hemophilia Enrollment Form

Please complete Patient and Prescriber information

Patient Name: _____ Patient DOB: _____
 Prescriber Name: _____ Prescriber Phone: _____

5 PRESCRIPTION INFORMATION

| MEDICATION | STRENGTH | DOSE & DIRECTIONS | QUANTITY/REFILLS |
|--|---|---|--|
| <input type="checkbox"/> Stimate | 150 mcg | <input type="checkbox"/> Weight <50 kg: Single spray in one nostril <input type="checkbox"/> Weight >50 kg: Single spray in each nostril (2 sprays total) <input type="checkbox"/> Other: _____ | Quantity: <input type="checkbox"/> 1 mo <input type="checkbox"/> 3 mo <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Normal Saline | Other: _____ | Access Device: <input type="checkbox"/> Port <input type="checkbox"/> PICC <input type="checkbox"/> PIV <input type="checkbox"/> Butterfly <input type="checkbox"/> Other: _____ <input type="checkbox"/> _____ mL every _____ | Quantity: <input type="checkbox"/> 1 mo <input type="checkbox"/> 3 mo <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Heparin | <input type="checkbox"/> 10 IU/mL <input type="checkbox"/> 100 IU/mL | Access Device: <input type="checkbox"/> Port <input type="checkbox"/> PICC <input type="checkbox"/> PIV <input type="checkbox"/> Butterfly <input type="checkbox"/> Other: _____ <input type="checkbox"/> _____ mL every _____ | Quantity: <input type="checkbox"/> 1 mo <input type="checkbox"/> 3 mo <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |

| MEDICATION/SUPPLIES | ROUTE | DOSE/STRENGTH/DIRECTIONS |
|---|---|---|
| Catheter <input type="checkbox"/> PIV <input type="checkbox"/> PORT <input type="checkbox"/> PICC | IV | Catheter Care/Flush – Only on drug admin days – SASH or PRN to maintain IV access and patency PIV – NS 5 mL (Heparin 10 units/mL 3-5 mL if multiple days) PORT/PICC – NS 10 mL & Heparin 100 units/mL 3-5 mL, and/or 10 mL sterile saline to access port a cath |
| <input type="checkbox"/> Diphenhydramine Oral | PO | <input type="checkbox"/> 12.25 mg/kg (0-30 kg) <input type="checkbox"/> 25 mg <input type="checkbox"/> 50 mg (Over 30 kg) |
| <input type="checkbox"/> Diphenhydramine 50 mg/mL vial | <input type="checkbox"/> Slow IV <input type="checkbox"/> IM | <input type="checkbox"/> 1 mg/kg (under 15 kg) <input type="checkbox"/> 12.5-50 mg (15-30 kg) <input type="checkbox"/> 25 mg <input type="checkbox"/> 50 mg (Over 30 kg) May repeat in 3-5 minutes as needed (Max dose-50 mg) |
| <input type="checkbox"/> Epinephrine **nursing requires** | <input type="checkbox"/> IM <input type="checkbox"/> SC | <input type="checkbox"/> Adult 1:1000, 0.3 mL (>30 kg/>66 lbs) <input type="checkbox"/> Peds 1:2000, 0.3 mL (15-30 kg/33-66 lbs) <input type="checkbox"/> Infant 0.1 mL/0.1 mL, 0.1 mL (7.5-15 kg/16.5-33 lbs) PRN severe allergic reaction – Call 911 May repeat in 5-15 minutes as needed |
| <input type="checkbox"/> Other: _____ | Other: _____ | Other: _____ |
| <input type="checkbox"/> Other: _____ | Other: _____ | Other: _____ |

Patient is interested in patient support programs

STAMP SIGNATURE NOT ALLOWED

Ancillary supplies and kits provided as needed for administration

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

| | |
|--|--|
| "Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute Prescriber's Signature: _____ Date: _____ | May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature: _____ Date: _____ |
| CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" _____ ATTN: New York and Iowa providers, please submit electronic prescription | |

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments. Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates.